

SI-AT-22 Supported consumables parameters

v90 (metric)

For detailed list of supported items, check the operating instructions of relevant consumables.

	AT qualified versions and sizes
Text	Preferred tool
Text	Optional tool
	AT qualification not yet available
	Version / Size not existing in portfolio

HST2 | Expansion Anchor

Legend:	
4	AT-22 & SI-AT-22
6	AT-22 & SI-AT-22

	M8	M10	M12	M16	M20	M24
HST2	4	4	4 & 6	6		
HST2-R	4	4	4 & 6	6		
HST2-BW	4	4	4 & 6			
HST2-R BW		4				

HST2 V3 | Expansion Anch

Legend:	
4	AT-22 & SI-AT-22
6	AT-22 & SI-AT-22

	M8	M10	M12	M16	M20	M24
HST2 V3	4	4 & 6	4&6	6		
HST2-F V3	4	4 & 6	4&6	6		
HST2-R V3	4	4 & 6	4&6	6		
HST2-HCR V3	4	4 & 6	4&6	6		
HST2 V3 LN		4 & 6	4&6			

HST3 | Expansion Anchor

Legend:	
4	AT-22 & SI-AT-22
6	AT-22 & SI-AT-22

	M8	M10	M12	M16	M20	M24
HST3	4	4 & 6	4 & 6	4 & 6	6	6
HST3 DN		4 & 6	4 & 6			
HST3-R	4	4 & 6	4 & 6	4 & 6	6	6
HST3-R DN		4 & 6	4 & 6			
HST3-BW	4	4 & 6	4 & 6	4 & 6		
HST3-R BW	4	4 & 6	4 & 6	4 & 6		

v90 (metric)

HST4 | Expansion Anchor

Legend:	
4	AT-22 & SI-AT-22
6	AT-22 & SI-AT-22

	M8	M10	M12	M16	M20	M24
HST4	4	4 & 6	4&6	6	6	
HST4-DN		4 & 6	4&6			
HST4 BW	4	4 & 6	4&6	6	6	
HST4-R	4	4 & 6	4&6	6	6	
HST4-R-DN		4 & 6	4&6			
HST4-R BW	4	4 & 6	4&6	6	6	

HSA | Expansion Anchor

Legend:	
4	AT-22 & SI-AT-22
6	AT-22 & SI-AT-22

	M8	M10	M12	M16	M20	M24
HSA	4	4 & 6	4 & 6	4 & 6	6	
HSA-R	4	4 & 6	4 & 6	4 & 6	6	
HSA-R2	4	4 & 6	4 & 6	4 & 6		
HSA-BW	4	4 & 6	4 & 6	4 & 6		
HSA-LN		4	4	4		

HSL4 | Expansion Anchor

Legend:	
4	AT-22 & SI-AT-22
6	AT-22 & SI-AT-22

	M8	M10	M12	M16	M20	M24
HSL4	4	4 & 6	4 & 6	4 & 6	6	6
HSL4-G	4	4 & 6	4 & 6	4 & 6	6	6
HSL-4 Pax		4 & 6				

v90 (metric)

HBC | T-Bolts

Legend:	
4	SIW 4AT-22 & SI-AT-22
6	SIW 6AT-22 & SI-AT-22

	M8	M10	M12	M16	M20	M24	Channels
HBC 40/22			4	4			HAC-C (-P)
HBC-N 40/22							
HBC 50/30			4	4	4		HAC-V
HBC-N 50/30							
HBC-B		4	4				HAC-C-T
HBC-T			4 & 6	4 & 6	6		
HBC-C		4	4 & 6	4 & 6	4 & 6		
HBC-C-E			4 & 6	4 & 6			
HBC-C-N			4				
HBC-T 29/20		4	4 & 6				
HBC-T 40/22		4	4 & 6	6			
HBC-T 50/30				6	6		

HUS4 | Screw

Legend:	
4	SIW 4AT-22 & SI-AT-22
6	SIW 6AT-22 & SI-AT-22

	6	8	10	12	14	16
HUS4-C		6	6			
HUS4-H		6	6	6	6	
HUS4-HF		6	6	6	6	
HUS4-A						
HUS4-AF						
HUS4T-C		6	6			
HUS4T-H		6	6			
HUS4T-HF		6	6			
HUS4-CR		6	6			
HUS4-HR		6	6		6	
HUS4-MAX			6	6	6	

v90 (metric)

Metric Rods

Legend:

4	Γ-22 & SI-AT-22
6	Γ-22 & SI-AT-22

Qualified Mortars:

→ HY200 A/R V3, HY170, RE500 V3/V4, RE100, HVU2, CT1, CT100

	M6	M8	M10	M12	M16	M20	M24	M27	M30	M33	M36	M39
HAS-U 5.8	4	4	4 & 6	6	6	6						
HAS-U 5.8 HDG	4	4	4 & 6	6	6	6						
HAS-U 8.8	4	4	4 & 6	6	6	6						
HAS-U 8.8 HDG	4	4	4 & 6	6	6	6						
HAS-U A4	4	4	4 & 6	6	6	6						
HAS 5.8 cut	4	4	4 & 6	6	6							
HAS 5.8 HDG cut	4	4	4 & 6	6	6							
HAS 8.8 cut	4	4	4 & 6	6	6							
HAS 8.8 HDG cut	4	4	4 & 6	6	6							
HAS A4 cut	4	4	4 & 6	6	6							
HAS 5.8 meter	4	4	4 & 6	6	6	6						
HAS 5.8 HDG meter												
HAS 8.8 meter	4	4	4 & 6	6	6	6						
HAS 8.8 HDG meter	4	4	4 & 6	6	6	6						
HAS A4 meter	4	4	4 & 6	6	6	6						

HIT-Z, HAS-D

Legend:

4	Γ-22 & SI-AT-22
6	Γ-22 & SI-AT-22

Qualified Mortars:

→ HY-200 A/R V3

	M6	M8	M10	M12	M16	M20
HIT-Z	4	4	4 & 6	6	6	
HIT-Z-R	4	4	4 & 6	6	6	
HIT-Z-F					6	6
HIT-Z-D TP					6	
HIT-Z-R-D TP					6	
HAS-D			4 & 6	6	6	

MT-TL | Twist-Lock channel nut

Legend:	
4	SIW 4AT-22 & SI-AT-22
6	SIW 6AT-22 & SI-AT-22

	M8	M10	M12	M16	M20	M24
MT-TL		4 & 6				
MT-TL OC		4 & 6				

MT-TFB OC | Thread forming bolt

Legend:	
4	SIW 4AT-22 & SI-AT-22
6	SIW 6AT-22 & SI-AT-22

	M8	M10	M12	M16	M20	M24
MT-TFB OC		4 & 6				

MT-THB OC | T-Head Bolt

Legend:	
4	SIW 4AT-22 & SI-AT-22
6	SIW 6AT-22 & SI-AT-22

	M8	M10	M12	M16	M20	M24
MT-THB OC			4 & 6			

MQN | Channel connector

Legend:	
4	SIW 4AT-22 & SI-AT-22
6	SIW 6AT-22 & SI-AT-22

	M8	M10	M12	M16	M20	M24
MQN-C		4				
MQN-C HDG plus		4				
MQN-CP		4				
MQN-B		4				
MQN-R		4				

MIQM | Wing nut

Legend:	
4	SIW 4AT-22 & SI-AT-22
6	SIW 6AT-22 & SI-AT-22

	M8	M10	M12	M16	M20	M24
MIQM		4	4			